

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	41	"065762"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:42
S2	26158255	@ad<="20021115" or @rlad<="20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:43
S3	3332	(Via adj technolo\$).AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:44
S5	9	S4 and queue with read with write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:45
S4	1089	S3 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:45
S6	1407	709/213.OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:50
S8	59	S7 and queue with read\$3 with writ\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:51
S7	1142	S6 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:51

S9	10	S4 and queue with read\$3 with writ\$3	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 16:52
S10	0	S7 and atomic adj flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 17:49
S12	82	S7 and atomic	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 17:50
S11	0	S7 and atomic near2 flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 17:50
S13	2	"5740401".PN.	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 18:09
S14	1	S7 and write adj complete adj flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 18:11
S15	2	"4914653".PN.	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 18:32
S16	6	S7 and write adj pointer and read adj pointer and (write near2 flag or read near2 flag)	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 18:35
S19	593	S17 and S18	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:30

S18	26158256	@ad<="20021115" or @rlad<="20021115"	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:30
S17	749	711/150.OCLS	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:30
S20	0	S19 and atomic adj flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:49
S21	66	S19 and atomic\$4	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:50
S25	4	S24 and queue with state with flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:02
S24	1142	S23 and S22	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:02
S23	1407	709/213.OCLS	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:02
S22	26158256	@ad<="20021115" or @rlad<="20021115"	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:02
S26	24	S24 and queue with flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:05

S27	378	S22 and ((multi or plural\$3) near2 processor) and (queue or buffer) with (state or status) adj (bit or flag)	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 15:02
S28	19	S24 and (free or available or open) with (row or column)	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 15:03
S30	1	S24 and address near2 request near2 flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 15:56
S29	0	S24 and address adj request adj flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 15:56
S32	1	S22 and multithread\$3 with lock\$3 with flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 16:00
S31	0	S24 and multithread\$3 with lock\$3 with flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 16:00
S33	3	S22 and (multithread\$3 or multi adj thread\$3 or plural adj thread\$3) with lock\$3 with flag	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 16:03
S34	21	S22 and (multithread\$3 or multi adj thread\$3 or plural adj thread\$3) with mutex with lock\$3	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 16:10
S35	5	S22 and "test and set" adj instruction	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 16:19

S36	540	S22 and demultiplex\$3 with lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:35
S37	5	S22 and demultiplex\$3 with lock\$3 with address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:36
S39	0	S24 and demultiplex\$3 with (free or open or clear or available) with address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:38
S38	54	S22 and demultiplex\$3 with (free or open or clear or available) with address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:38
S40	0	S22 and demultiplex\$3 with shared adj memory with flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:45
S41	43	S22 and demultiplex\$3 with memory with flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:46
S42	143	S22 and ("4" or four) adj byte adj command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 18:58
S43	26159127	@ad<="20021115" or @rlad<="20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 11:17
S45	5	"3828320".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 11:25

S46	3	S43 and (multiplex\$3 or mux) with (available or free or unlock\$3) with shared adj memory with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 11:34
S48	7	S43 and (multiplex\$3 or mux) with (unlock\$3) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 11:38
S47	847	S43 and (multiplex\$3 or mux) with (available or free or unlock\$3) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 11:38
S49	40	(US-20040004960-\$ or US-20030182464-\$). did. or (US-6684284-\$ or US-6711627-\$ or US-4980852-\$ or US-5418913-\$ or US-6529945-\$ or US-6611895-\$ or US-6684268-\$ or US-6934815-\$ or US-6988160-\$ or US-3735360-\$ or US-4402046-\$ or US-4564900-\$ or US-4603383-\$ or US-5099418-\$ or US-5179665-\$ or US-5434998-\$ or US-5666546-\$ or US-5742785-\$ or US-5900018-\$ or US-5740401-\$ or US-4914653-\$ or US-5619653-\$ or US-5944788-\$ or US-5796946-\$ or US-5889948-\$ or US-5894555-\$). did. or (US-5920893-\$ or US-5454095-\$ or US-5490270-\$ or US-5566319-\$ or US-6009426-\$ or US-6092156-\$ or US-6148300-\$ or US-5630136-\$ or US-6247025-\$ or US-5333297-\$ or US-4665484-\$ or US-5142676-\$). did. or (US-20040004960-A-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/11 14:48
S50	3	S49 and command near2 ("4" or four)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 14:49

S51	26159127	@ad<="20021115" or @riad<="20021115"	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 14:51
S53	51	S51 and (opcode) near2 ("4" or four) adj bytes	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 14:52
S52	746	S51 and (opcode or instruction or command) near2 ("4" or four) adj bytes	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 14:52
S54	1357	S51 and "32" adj bit adj instruction	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 15:08
S56	312	S55 and "32" adj bit adj instruction and (SIMD or Single adj instruction adj multiple adj data)	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 16:50
S55	26159127	@ad<="20021115" or @riad<="20021115"	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 16:50
S58	249	S55 and ("32" adj bit adj instruction) and (Single adj instruction adj multiple adj data)	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 16:51
S57	312	S55 and ("32" adj bit adj instruction) and (SIMD or (Single adj instruction adj multiple adj data))	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 16:51
S59	0	S55 and (exceeds adj file adj size) same atomic\$4	US-PGPUB; USPAT: USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 19:05

S60	144	S55 and file same size same atomic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 19:06
S61	3	S55 and file same size same atomic\$4 adj (read or write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 19:07
L4	7	L2 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:24
L3	26159127	@ad<="20021115" or @rlad<="20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:24
L2	24	(TSENG near2 CHUN-HUA).IN. or (CHEN near2 WEI-PIN).IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:24

3/12/2008 10:27:25 AM

C:\Documents and Settings\jnickerson\My Documents\EAST\Workspaces\10065762.wsp